










We've added more horsepower to the Kwik-Trim. It has a new, fuel-efficient Tier 4 engine that doesn't require diesel exhaust fluid (DEF). That means you get plenty of power and efficiency without any of the hassle of using DEF. The new Kwik-Trim is also heavier and slightly wider for enhanced stability on uneven terrain. Nonetheless, it's still compact enough to access tight areas and light enough to be towed behind a pickup.










360° CONTINUOUS BOOM SWING





COMPLETE

500 BAGE

The Kwik-Trim has been proven to handle the vast majority of trimming needs. It's more maneuverable and cost effective than large-scale mechanical trimmers. And it's much more productive than using bucket trucks or hand climbing. Simply put, the new Kwik-Trim is the perfect tool for any tree maintenance or right-of-way maintenance crew.

// Zero Turn Radius

Loftness' Counter-Rotating
Track Control System allows
you to maintain precise saw
position while rotating the track
undercarriage. Thanks to this
innovative feature, you can
confidently and safely position
the Kwik-Trim on some of the
tightest jobsites.











// FEATURES



24-Inch Carbide-Tipped Saw Blade: The Kwik-Trim uses an industry-standard, 24-inch carbide-tipped saw blade. It operates at 3,000 RPM, making guick work of branches.



Hose Reel Mount: The specialized design of the hose reel mount eliminates the need for external boom support while hauling. This speeds up the process of prepping the machine for transport.



Easy Access Winch: The winch is conveniently located at the front center of the machine. It has its own hydraulic circuit, making it ready to be operated from inside the cab whenever needed.



Maximum Stability:

Despite its compact size, the Kwik-Trim provides maximum stability on difficult terrain. It has a wide stance and low center of gravity, allowing the unit to safely access most areas.

Environmentally Friendly: The Kwik-Trim produces low ground pressure, makes little noise and has a small footprint, making it more acceptable in residential areas than larger trimming equipment.



KWIK-TRIM SPECIFICATIONS

ENGINE:

47.6 HP Yanmar Tier 4

WEIGHT:

14,000 LBS (6,350.3 kg)

WIDTH:

6' 7" (2.1 m)

LENGTH (Transport Mode):

31' (9.4 m)

HEIGHT (Transport Mode):

10' 4" (3.15 m)

BOOM REACH:

53' (16.2 m)

BLADE:

24" Diameter (0.6 m) Carbide-Tipped, 3.000 RPM

CERTIFICATIONS:

Boom – ANSI A92-2 Category C

Cab - ISO 8084 OPS

- ISO 8083 FOPS
- ISO 8082-2 ROPS
- ISO 3471 ROPS
- ISO 12117-2 ROPS

SEE THE FULL LIST OF **FEATURES AND SPECS AT** LOFTNESS.COM

or call 800-828-7624



OTHER VEGETATION MANAGEMENT EQUIPMENT FROM LOFTNESS

































// GRAIN BAGGING

// CROP SHREDDERS

// SNOW BLOWERS

// VEGETATION MANAGEMENT



Call us or visit loftness.com for more information on the new Kwik-Trim.



Loftness Specialized Equipment P.O. Box 337 Hector, Minnesota 55342 USA

Toll Free US & Canada: 800-828-7624 International 320-848-6266 email: info@loftness.com www.loftness.com